## Amp



## Specifications

Feature	Description
AUDIO	
Amplifier	Class-D digital amplifier
Amplifier power	125W/Ch into 8 ohms
Speaker connections	Banana plugs (2)
Line-in sources supported	Audio device with analog RCA output or optical output (optical adapter required).  TV device with HDMI ARC or optical output (optical adapter required).
Subwoofer output	Auto-detecting RCA type, adjustable crossover
NETWORKING	

Feature	Description
Wireless connectivity	Using Sonos S2: Connects to WiFi network with any 802.11b/g/n 2.4 GHz broadcast-capable router.  Using Sonos S1: Connects to WiFi network with any 802.11b/g 2.4 GHz broadcast-capable router. 802.11n only network configurations are not supported —you can either change the router settings to 802.11b/g/n or connect a Sonos product to your router.
Ethernet ports	Dual Ethernet ports can connect Amp to a wired home network and allow for connection of additional Sonos products.
GENERAL	
System requirements	Passive speakers with speaker wire, broadband internet, and Sonos app.
Power supply	Auto-switching 100 - 240V ~ 50-60 Hz 2.5A AC universal input
Controls	Touch interface with volume up/down, previous/next song and play/pause.
Status indicator	Displays the product's connection to WiFi, indicates when the volume is muted, and signals errors.

Feature	Description
Dimensions (H x W x D)	6.36 x 4.69 x 4.69 in. (161.45 x 119.7 X 119.7 mm)
Weight	4.6 lbs. (2.1 kg)
Operating temperature	32° to 104° F (0 to 40° C)
Storage temperature	-4° to 122° F (-20° to 50° C)
Product finish	Black
Package contents	Sonos Amp, 2 banana plugs, AC power cord, and Quickstart Guide

<sup>\*</sup> Specifications subject to change without notice.